

**Tower Power Station**

**Licence Number:** 5357

**Licence Holder:** EDL CSM (NSW) PTY LTD

**Licensee Address:** Douglas Park Drive  
Douglas Park NSW 2569

**Dates:** Reporting Period: 3 May 2026 - 2 May 2027

Continuous monitoring for ambient NOx, O3 (taken off site) and point source NO3 air emissions;

Spot sampling weekly during discharge for First Flush pH and, oil and grease (O&G);

**Frequency:** Spot sampling monthly for Process Water Effluent O&G, pH;  
Volume monitoring daily for waste water discharges.



| Month  | Location of monitoring point                        | Sampled | Obtained | Published | Pollutant | Units   | Monitoring Frequency        | Measurement during month | Min | Mean | Max | Licence Limit | Exceedance (Yes/No) |
|--------|-----------------------------------------------------|---------|----------|-----------|-----------|---------|-----------------------------|--------------------------|-----|------|-----|---------------|---------------------|
| Jul-26 | Point 11 - Air emissions monitoring                 |         |          |           | NOx       | ppm     | Continuous                  | Continuous               |     |      |     | < 2132 g/min  |                     |
|        | Point 8 - First Flush Effluent quality monitoring   |         |          |           | O&G       | visible | Weekly during any discharge |                          |     |      |     | nil visual    |                     |
|        |                                                     |         |          |           | pH        |         | Weekly during any discharge |                          |     |      |     | 6.5-8.5       |                     |
|        | Point 9 - Process Water Effluent quality monitoring | 2/07/26 | 17/07/26 | 17/07/26  | O&G       | visible | Monthly                     |                          |     | <5   |     | nil visual    | No                  |
|        |                                                     | 2/07/26 | 17/07/26 | 17/07/26  | pH        |         | Monthly                     |                          |     | 7.4  |     | 6.5-8.5       | No                  |